resistance and ohms law investigation answers Latest Edition

Resistance and Ohm?s Law Investigation Answers

Resistance and Ohm?s Law investigation answers are fundamental components in understanding the relationship between voltage, current, and resistance in electrical circuits. Conducting investigations into these concepts allows students and enthusiasts to develop a practical understanding of how electrical components behave and how to apply theoretical principles to real-world scenarios. This article aims to explore the core concepts of resistance and Ohm?s Law, provide detailed explanations of common investigation questions, and offer comprehensive answers to facilitate learning and experimentation.

Understanding Resistance

What is Resistance?

Resistance is a measure of how much a material opposes the flow of electric current. It is a fundamental property of materials that influences the behavior of electrical circuits. Resistance is measured in ohms (?), named after Georg Simon Ohm, the physicist who formulated Ohm?s Law.

Factors Affecting Resistance

Several factors determine the resistance of a component or material, including:

- **Material:** Conductors like copper have low resistance, while insulators like rubber have high resistance.
- **Length of the conductor:** Longer conductors have higher resistance.
- **Cross-sectional area:** Thicker wires have lower resistance.
- **Temperature:** Increasing temperature often increases resistance in conductors.

Calculating Resistance

Resistance can be calculated using the formula:

R = ? (L / A)

Where:

- R = Resistance (?)
- ? = Resistivity of the material (?·m)
- L = Length of the material (m)
- A = Cross-sectional area (m^2)

Ohm?s Law and Its Significance

What is Ohm?s Law?

Ohm?s Law states that the current flowing through a conductor between two points is directly proportional to the voltage across those points, provided the temperature remains constant. Mathematically, it is expressed as:

V = I R

Where:

- V = Voltage (volts, V)
- I = Current (amperes, A)
- R = Resistance (ohms, ?)

Implications of Ohm?s Law

- It allows the calculation of one electrical quantity if the other two are known.
- It forms the basis for designing and analyzing electrical circuits.
- It helps in understanding how changing a resistor or voltage affects current flow.

Common Investigation Questions and Answers

Question 1: How does changing the resistance affect the current in a circuit?

Answer: According to Ohm?s Law, if the voltage remains constant, increasing the resistance will decrease the current, and decreasing the resistance will increase the current. This inverse relationship is fundamental and can be demonstrated experimentally by varying resistor values and measuring the current with a voltmeter and ammeter.

Question 2: What is the relationship between voltage, current, and resistance?

Answer: The relationship is described by Ohm?s Law: V = I R. For a fixed resistance, the current is directly proportional to the voltage. Conversely, for a fixed voltage, increasing resistance reduces current. These relationships are linear and can be observed graphically by plotting current against voltage or resistance.

Question 3: How can you verify Ohm?s Law experimentally?

Answer: To verify Ohm?s Law, follow these steps:

- Set up a circuit with a power supply, resistor, ammeter, and voltmeter.
- Vary the voltage supplied to the circuit in small increments.
- Record the corresponding current for each voltage level.
- Plot a graph of voltage (V) against current (I).

If Ohm?s Law holds, the graph will be a straight line passing through the origin, with the slope equal to the resistance.

Question 4: Why does resistance vary with temperature?

Answer: In most conductors, increasing temperature causes atoms to vibrate more vigorously, which increases the likelihood of collisions between free electrons and vibrating atoms, thereby increasing resistance. Conversely, in some materials like superconductors, resistance drops to zero below a critical temperature.

Question 5: How does wire thickness affect resistance?

Answer: Thicker wires have a larger cross-sectional area, which reduces resistance because more pathways are available for current to flow. Conversely, thinner wires have higher resistance due to fewer pathways.

Practical Applications of Resistance and Ohm?s Law

Designing Circuits

Engineers use resistance calculations and Ohm?s Law to design safe and efficient electrical circuits. Selecting appropriate resistor values ensures proper current flow and prevents component damage.

Electrical Safety

Understanding resistance helps in designing circuits that limit current to safe levels, reducing the risk of overheating or electrical fires.

Sensor Technology

Many sensors, like thermistors, rely on resistance changes with temperature to measure environmental conditions. Proper understanding of resistance properties is crucial in calibrating these sensors.

Common Mistakes and Troubleshooting

Misinterpreting the Data

One common mistake is assuming linearity without verifying that the circuit remains within the ohmic (resistive) region. Non-ohmic components, such as diodes, do not obey Ohm?s Law.

Ignoring Temperature Effects

Temperature variations can affect resistance measurements, leading to inaccurate conclusions if not controlled or accounted for during experiments.

Incorrect Apparatus Setup

Poor connections, damaged wires, or faulty meters can lead to erroneous readings. Always ensure proper circuit assembly and calibration of measuring instruments.

Conclusion

Understanding resistance and Ohm?s Law is essential for anyone studying electricity and electronics. Through careful investigation, measurement, and analysis, learners can grasp how voltage, current, and resistance interact. The answers to common investigation questions serve as a foundation for further exploration of electrical principles and practical applications. By mastering these concepts, students can confidently analyze and design circuits, troubleshoot electrical problems, and appreciate the physics underlying everyday electrical devices.

Resistance and Ohm?s Law Investigation Answers form a fundamental part of understanding electrical principles, especially for students and enthusiasts exploring the basics of circuits. These concepts not only lay the groundwork for more advanced electrical and electronic engineering but also enhance problem-solving skills by applying theoretical knowledge to practical scenarios. In this comprehensive review, we will delve into the core ideas behind resistance and Ohm?s Law, explore common investigation questions and answers, and analyze their significance in both educational

and real-world contexts.

Understanding Resistance in Electrical Circuits

Resistance is a measure of how much a material opposes the flow of electric current. It is a critical concept that determines how much current will flow through a component when a voltage is applied. Resistance is represented by the symbol R and measured in ohms (?).

What is Resistance?

Resistance occurs because electrons moving through a conductor collide with atoms, impurities, and lattice vibrations within the material. These collisions impede the flow of electrons, thus creating resistance. Factors influencing resistance include:

- Material Type: Conductors like copper and silver have low resistance, whereas insulators like rubber have high resistance.
- Length of the Conductor: Longer conductors have higher resistance.
- Cross-sectional Area: Thicker wires have lower resistance.
- Temperature: Generally, resistance increases with temperature in conductors.

Features and Key Points about Resistance

- Resistance is proportional to the length of the conductor and inversely proportional to its cross-sectional area.
- It depends on the material's resistivity (a property intrinsic to the material).
- Resistance causes energy dissipation in the form of heat, which is why resistors heat up during operation.

Ohm?s Law: The Foundation of Circuit Analysis

What is Ohm?s Law?

Ohm?s Law states that the current flowing through a conductor between two points is directly proportional to the voltage across the two points, provided the temperature remains constant. Mathematically, it is expressed as:

\[V = IR \]

where:

- V is the voltage in volts (V),
- I is the current in amperes (A),
- R is the resistance in ohms (?).

This simple yet profound relationship allows for straightforward calculations in electrical circuits.

Features and Applications of Ohm?s Law

- Predictive Power: Enables calculation of any one of the three variables if the other two are known.
- Design and Troubleshooting: Used to design circuits and diagnose faults.
- Limitations: Only valid within the linear region of resistors and when the material obeys ohmic behavior; non-ohmic devices like diodes and transistors do not follow Ohm?s Law strictly.

Common Resistance and Ohm?s Law Investigation Questions and Answers

Studying investigations related to resistance and Ohm?s Law often involves practical experiments, problem-solving exercises, and theoretical questions. Here, we explore typical questions and their detailed answers.

1. How does changing the length of a wire affect its resistance?

Answer:

According to the resistivity formula:

$$ R = \rho \frac{L}{A} $$

where:

- $ R $ is resistance,
- $ \rho $ is resistivity,
- $ L $ is length,
- $ A $ is cross-sectional area.

As the length $ L $ increases, resistance $ R $ increases proportionally, assuming resistivity and cross-sectional area remain constant. This relationship can be experimentally verified by measuring resistance at different wire lengths.

Key points:

- Longer wires result in higher resistance.
- The relationship is linear, meaning doubling the length doubles the resistance.
- This principle is critical when designing circuits to ensure proper current flow.

2. How does the material of a wire influence its resistance?

Answer:

Materials with low resistivity (like copper or silver) have low resistance, allowing electrons to flow easily. Conversely, materials with high resistivity (like nichrome or constantan) have higher resistance.

Features:

- Material choice affects energy efficiency.
- Conductors like copper are preferred for wiring due to their low resistivity.
- Resistance can be calculated using the resistivity value specific to the material.

Pros/Cons:

- Pros: Low resistivity materials reduce power loss.
- Cons: High resistivity materials can be useful in resistors to control current.

3. How does temperature affect the resistance of a wire?

Answer:

In most conductors, resistance increases with temperature because heating causes increased atomic vibrations, leading to more collisions with electrons. The relationship can be approximated as:

$$ R_T = R_0 [1 + \alpha (T - T_0)] $$

where:

- R_T is resistance at temperature T,
- R_0 is resistance at reference temperature T_0,
- α is the temperature coefficient of resistivity.

Implications:

- Elevated temperatures increase resistance, potentially affecting circuit performance.
- Materials with low α are preferred in temperature-variable environments.

4. How can Ohm?s Law be used to determine the resistance of a component?

Answer:

By measuring voltage (V) across and current (I) through a component, resistance (R) can be calculated:

$$R = \frac{V}{I}$$

Procedure:

- Use a voltmeter to measure the voltage across the component.
- Use an ammeter to measure the current through it.
- Divide voltage by current to find resistance.

This method is fundamental in verifying Ohm?s Law experimentally and diagnosing faults.

Features:

- Simple and effective for ohmic devices.
- Accurate measurements depend on proper instrument calibration.

Practical Applications and Significance

Understanding resistance and Ohm?s Law is crucial in various fields:

- Electrical Engineering: Designing circuits, selecting appropriate resistors, and ensuring safety.
- Electronics: Developing devices that rely on precise resistance values.

- Power Distribution: Managing energy losses due to resistance in transmission lines.
- Educational Purposes: Building foundational knowledge for students learning about circuits.

Advantages:

- Facilitates circuit calculations and design.
- Improves troubleshooting efficiency.
- Enhances comprehension of energy dissipation and heat generation.

Limitations:

- Ohm?s Law is only valid for ohmic devices and under constant temperature.
- Non-linear elements require more complex analysis.

Conclusion

Resistance and Ohm?s Law Investigation Answers are fundamental to understanding electrical and electronic principles. They provide essential insights into how current flows through different materials and how voltage, current, and resistance interrelate. Through practical investigations, theoretical analysis, and problem-solving exercises, learners can develop a robust comprehension of these concepts. The ability to accurately determine resistance, understand its dependence on various factors, and apply Ohm?s Law effectively is vital for designing safe, efficient, and functional electrical systems. As technology advances, these foundational principles continue to underpin innovations in electronics, power systems, and beyond, highlighting their enduring importance in both educational and practical domains.

QuestionAnswer What is Ohm's Law and how is it related to resistance? Ohm's Law states that the current flowing through a conductor between two points is directly proportional to the voltage across the two points, provided the temperature remains constant. It is expressed as V = IR, where V is voltage, I is current, and R is resistance. Resistance is the property that opposes the flow of current. How can you experimentally determine the resistance of a wire? To determine the resistance experimentally, you can set up a circuit with a power supply, the wire, and an ammeter and voltmeter. Measure the voltage across the wire and the current through it, then use Ohm's Law R = V/I to calculate resistance. What factors affect the resistance of a wire? Factors that affect resistance include the material's resistivity, length of the wire, cross-sectional area, and temperature. Increasing length or resistivity increases resistance, while increasing the cross-sectional area decreases it. What is the typical relationship between resistance and temperature? Generally, for most conductors, resistance increases with temperature. As temperature rises, atoms vibrate more, impeding the flow of electrons, which increases resistance.

Why is it important to keep the temperature constant during resistance investigations? Maintaining a constant temperature ensures that resistance measurements are accurate and consistent, since resistance varies with temperature. Fluctuations can lead to incorrect conclusions about the resistance of the material. How does the length of a wire affect its resistance according to Ohm's Law? Resistance is directly proportional to the length of the wire. Doubling the length of the wire doubles its resistance, assuming all other factors remain constant. What is the significance of the resistivity in resistance calculations? Resistivity is a material-specific property that indicates how strongly a material opposes the flow of electric current. It is used in the formula R = ? (L/A), where R is resistance, ? is resistivity, L is length, and A is cross-sectional area. How can resistance be minimized in electrical circuits? Resistance can be minimized by using materials with low resistivity, increasing the cross-sectional area of conductors, and reducing the length of the wiring. Proper circuit design and using high-quality materials also help reduce resistance. What are common errors to avoid during a resistance and Ohm's Law investigation? Common errors include poor contact points, inaccurate measurements of voltage or current, not maintaining constant temperature, and using wires or components with inconsistent resistances. Ensuring proper setup and calibration helps improve accuracy. Why is understanding resistance and Ohm's Law important in real-world applications? Understanding resistance and Ohm's Law is crucial for designing electrical and electronic systems, ensuring safety, optimizing performance, and troubleshooting circuits in various devices and infrastructure.

Related keywords: resistance, ohm's law, electrical circuits, voltage, current, ohms law calculation, resistance formula, electrical resistance, circuit analysis, ohms law experiment

Electrical Resistance The Physics Classroom Answers

Electrical resistance the physics classroom answers

Understanding electrical resistance is fundamental to mastering the principles of electricity and electronics. The Physics Classroom provides comprehensive explanations and answers to various questions related to electrical resistance, making it an invaluable resource for students, educators, and enthusiasts alike. In this article, we will explore the concept of electrical resistance in detail, covering its definition, calculation, factors affecting resistance, and practical applications, all structured to optimize your understanding and SEO ranking.

What is Electrical Resistance?

Electrical resistance is a measure of how much a material opposes the flow of electric current. It is a fundamental property of materials that determines how easily electrons can pass through them

when a voltage is applied.

Definition of Resistance

Resistance (denoted by the symbol R) quantifies the opposition to current flow within a conductor. Its SI unit is the ohm (?). A higher resistance indicates more opposition, while a lower resistance allows current to flow more freely.

Ohm?s Law and Resistance

One of the most critical relationships involving resistance is Ohm?s Law:

\[V = IR \]

Where:

- V = Voltage across the resistor (volts)
- I = Current flowing through the resistor (amperes)
- R = Resistance (ohms)

This law states that the current passing through a resistor is directly proportional to the voltage across it and inversely proportional to its resistance.

How is Electrical Resistance Calculated?

The resistance of a uniform wire or component can be calculated using the formula:

Resistance Formula

\[R = \rho \frac{L}{A} \]

Where:

- R = Resistance (?)
- ? = Resistivity of the material (?·m)
- L = Length of the conductor (meters)
- A = Cross-sectional area of the conductor (square meters)

This formula illustrates that resistance depends on the material's resistivity, length, and

cross-sectional area.

Resistivity and Conductivity

- Resistivity (?): A material property indicating how strongly a material opposes current.
- Conductivity (?): The inverse of resistivity; materials with high conductivity (like copper and silver) have low resistivity.

Factors Affecting Electrical Resistance

Several factors influence the resistance of a material or component:

1. Material Type

Different materials have varying resistivities, with metals like copper and silver being excellent conductors, while insulators like rubber have very high resistivity.

2. Length of the Conductor

Resistance is directly proportional to the length of the conductor:

- Longer conductors have higher resistance.
- Shorter conductors have lower resistance.

3. Cross-Sectional Area

Resistance is inversely proportional to the cross-sectional area:

- Thicker wires (larger A) have lower resistance.
- Thinner wires (smaller A) have higher resistance.

4. Temperature

Most conductors have resistance that increases with temperature:

- Metals generally have positive temperature coefficients.
- Semiconductors may exhibit complex temperature dependence.

5. Presence of Impurities

Impurities increase resistivity by disrupting the orderly flow of electrons.

Practical Applications of Electrical Resistance

Understanding resistance is crucial in designing electrical and electronic systems. Here are some common applications:

1. Resistors in Circuits

Resistors are components used to control current, divide voltages, and limit current flow in circuits.

2. Heating Elements

Materials with high resistance (like nichrome) are used in heating devices due to their ability to convert electrical energy into heat efficiently.

3. Conductors and Insulators

Choosing materials based on their resistance properties ensures safety and efficiency:

- Conductors (low resistance) for wiring.
- Insulators (high resistance) for protecting users from electric shocks.

4. Measuring Resistance

Ohmmeters and multimeters are used to measure resistance in circuits, aiding in troubleshooting and maintenance.

Resistance and Power Dissipation

Electrical resistance also plays a role in power consumption and heat generation within circuits.

Power Dissipation in a Resistor

The power (P) dissipated as heat in a resistor is given by:

$$ P = I^2 R $$

or

$$ P = \frac{V^2}{R} $$

This is important in designing circuits to prevent overheating and ensure component longevity.

Common Questions Addressed by The Physics Classroom

The Physics Classroom FAQ section often addresses questions such as:

- What is the difference between resistance and resistivity?
- How does temperature affect resistance?
- Why do longer wires have higher resistance?
- How are resistors used in circuits?
- What materials are good conductors or insulators?
- How does resistance influence circuit behavior?

By exploring these questions, learners gain a clearer understanding of how resistance impacts electrical systems.

Conclusion

Electrical resistance is a cornerstone concept in physics and electrical engineering, influencing how circuits are designed, analyzed, and optimized. The Physics Classroom provides clear, comprehensive answers to questions about resistance, helping students grasp both theoretical and practical aspects. Whether calculating resistance using the formula $R = \rho \frac{L}{A}$, understanding the factors affecting resistance, or applying this knowledge in real-world scenarios like circuit design, mastering this topic is essential for anyone interested in physics or electronics. By understanding the principles of electrical resistance, learners can better appreciate how electrical devices function and how to troubleshoot and improve electrical systems effectively.

Electrical resistance is a fundamental concept in physics that describes how much a material opposes the flow of electric current. Understanding resistance is essential not only for grasping the basics of electricity but also for designing circuits, troubleshooting electrical components, and exploring advanced topics like superconductivity and semiconductor physics. In this comprehensive guide, we will delve into the concept of electrical resistance, explore its principles, examine how it is measured, and discuss its significance in everyday life and technological applications.

What Is Electrical Resistance?

Electrical resistance (denoted as R) quantifies how difficult it is for electric charge to pass through a material. When a voltage (V) is applied across a conductor, an electric current (I) flows, but the magnitude of this current depends on the resistance of the material. The higher the resistance, the smaller the current for a given voltage, following Ohm?s Law:

$V = I \times R$

where:

- V is the voltage difference across the material,
- I is the current flowing through it,
- R is the resistance.

Resistance is measured in ohms (?), named after Georg Simon Ohm, who formulated the fundamental relationship between voltage, current, and resistance.

The Physics of Resistance: How and Why It Occurs

At the microscopic level, electrical resistance arises from interactions between free charge carriers (usually electrons in metals) and the atoms or impurities within the material. When an electric field is applied, electrons accelerate, but their motion is interrupted by collisions:

- In metals: Resistance results primarily from the scattering of electrons off of vibrating atoms (phonons), impurities, and defects.
- In insulators: Resistance is extremely high because electrons are tightly bound and cannot freely move.
- In semiconductors: Resistance can vary widely depending on doping and temperature.

Key factors influencing resistance include:

- Material composition: Metals like copper and silver have low resistance; insulators like rubber have very high resistance.
- Temperature: Increasing temperature generally increases resistance in conductors due to more vigorous atomic vibrations.
- Length of the conductor: Longer conductors offer more resistance since electrons encounter more scattering sites.
- Cross-sectional area: Thicker wires have lower resistance because they provide more pathways for current.

- Impurities and defects: These can increase resistance by disrupting the regular lattice structure.

Resistance and Material Properties

Resistivity (?)

To better understand resistance in different materials, physicists use the concept of resistivity (?), an intrinsic property that indicates how strongly a material opposes current flow. The resistance of a uniform piece of material is given by:

R = ? × (L / A)

where:

- L is the length of the material,
- A is its cross-sectional area,
- ? is the resistivity, measured in ohm-meters (?·m).

This equation highlights how resistance scales with length and inversely with cross-sectional area, reinforcing the importance of physical dimensions.

Conductivity

The reciprocal of resistivity is conductivity (?):

? = 1 / ?

Materials with high conductivity (like copper and silver) have low resistivity, making them ideal for electrical wiring and circuits.

Measuring Resistance

Resistance can be measured using instruments such as the ohmmeter or multimeter set to measure resistance. When measuring:

- Ensure the circuit is disconnected from power sources.
- Connect the meter probes across the component under test.
- Read the value displayed, which indicates the resistance.

In laboratory settings, resistance can also be determined by measuring voltage and current separately and applying Ohm's Law:

R = V / I

Resistance in Circuits: Series and Parallel

Understanding how resistance behaves in circuits is crucial for designing and analyzing electrical systems.

Series Circuits

- Total resistance (R?): Sum of individual resistances:

R? = R? + R? + R? + ...

- Implication: Adding resistors in series increases overall resistance, reducing current for a given voltage.

Parallel Circuits

- Total resistance (R?): Calculated as:

1 / R? = 1 / R? + 1 / R? + 1 / R? + ...

- Implication: Adding resistors in parallel decreases overall resistance, allowing more current to flow.

Temperature Dependence of Resistance

For most conductors, resistance increases with temperature. The relationship can be approximated as:

R(T) = R? [1 + ? (T - T?)]

where:

- R(T): Resistance at temperature T,
- R?: Resistance at reference temperature T?,
- ?: Temperature coefficient of resistance.

In semiconductors, resistance typically decreases with temperature, contrasting the behavior of metals. This temperature dependence is exploited in devices like thermistors for temperature sensing.

Resistance and Advanced Topics

Superconductivity

Certain materials exhibit superconductivity below a critical temperature, where resistance drops abruptly to zero. This phenomenon has profound implications for power transmission, magnetic levitation, and quantum computing.

Resistance in Semiconductors

Doping semiconductors introduces impurities that alter resistance drastically. Understanding resistance in semiconductors underpins modern electronics, including transistors and solar cells.

Resistance and Power Dissipation

When current flows through a resistor, electrical energy is converted into heat:

Power (P) = I^2 R = V I

This power dissipation must be managed in circuit design to prevent overheating and ensure safety.

Practical Applications of Resistance

Electrical wiring: Low-resistance conductors minimize energy loss.

Resistors in circuits: Control current, divide voltages, and filter signals.

Heating elements: Use resistors (like in toasters and electric stoves) to generate heat.

Sensor technology: Resistance changes in thermistors and strain gauges are used for precise measurements.

Electronics design: Managing resistance is critical for circuit stability and performance.

Summary: Why Resistance Matters

Electrical resistance is a central concept in understanding how electrical systems operate. It affects current flow, energy efficiency, and device operation. By exploring the microscopic interactions that give rise to resistance, learning how to measure and calculate it, and understanding its role in circuit behavior, we gain valuable insights into both everyday electronics and advanced technological systems.

Final Thoughts

Whether you?re designing a simple circuit or exploring cutting-edge research in superconductivity, a solid grasp of electrical resistance is indispensable. As technology advances, understanding how resistance behaves under different conditions continues to be a vital part of physics and engineering education, bridging fundamental science with practical innovation.

QuestionAnswer What is electrical resistance in physics? Electrical resistance is a measure of how much a material opposes the flow of electric current through it. It is quantified by the resistance value, which depends on the material's properties, length, and cross-sectional area. How does resistance affect current in a circuit? Higher resistance in a circuit reduces the current flow for a given voltage, according to Ohm's Law (I = V/R). Conversely, lower resistance allows more current to pass through. What materials have high electrical resistance? Materials like rubber, glass, and plastic have high electrical resistance and are often used as insulators to prevent current flow. How does temperature influence electrical resistance? In most conductors, resistance increases with temperature because higher temperatures cause increased atomic vibrations, which impede electron flow. However, in some materials like superconductors, resistance drops to zero below a critical temperature. What is the significance of resistivity in physics? Resistivity is a fundamental property of a material that indicates how strongly it opposes the flow of electric current. It helps determine the resistance of objects of different sizes and shapes made from the same material. How is resistance calculated for a wire? Resistance (R) of a wire is calculated using the formula R = ? (L/A), where ? is the resistivity of the material, L is the length of the wire, and A is its cross-sectional area. What is the relationship between resistance and Ohm's Law? Ohm's Law states that the current through a conductor between two points is directly proportional to the voltage across those points and inversely proportional to the resistance, expressed as V = IR. Why are resistors used in electrical circuits? Resistors are used to control current flow, divide voltages, limit current to certain parts of a circuit, and protect components from excessive current. Can resistance be zero? What does that mean? Yes, resistance can be zero in superconductors, which conduct electricity without any resistance when cooled below a critical temperature. This results in zero energy loss during current flow.

Related keywords: electrical resistance, physics classroom, Ohm's law, resistance formula, current, voltage, resistivity, conductor, insulator, electrical circuits

Read the full article online: electrical resistance the physics classroom answers